

BID FORM

NORTH OHIO STREET RECONSTRUCTION 2022

Name of Bidder

TABLE OF CONTENTS

	Page
Article 1 – Bid Recipient	1
Article 2 – Bidder’s Acknowledgements	1
Article 3 – Bidder’s Representations.....	1
Article 4 – Bidder’s Certification	2
Article 5 – Basis of Bid.....	3
Article 6 – Time of Completion	17
Article 7 – Attachments to this Bid	17
Article 8 – Defined Terms.....	17
Article 9 – Bid Submittal.....	17

ARTICLE 1 – BID RECIPIENT

1.01 This Bid is submitted to:

City of Greenville, Board of Control, 100 Public Square, Greenville, OH 45331

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2 – BIDDER’S ACKNOWLEDGEMENTS

2.01 Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 60 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

ARTICLE 3 – BIDDER’S REPRESENTATIONS

3.01 In submitting this Bid, Bidder represents that:

A. Bidder has examined and carefully studied the Bidding Documents, and any data and reference items identified in the Bidding Documents, and hereby acknowledges receipt of the following Addenda:

<u>Addendum No.</u>	<u>Addendum, Date</u>
_____	_____
_____	_____
_____	_____
_____	_____

B. Bidder has visited the Site, conducted a thorough, alert visual examination of the Site and adjacent areas, and become familiar with and satisfied itself as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Bidder is familiar with and has satisfied itself as to all Laws and Regulations that may affect cost, progress, and performance of the Work.

D. Bidder has carefully studied all: (1) reports of explorations and tests of subsurface conditions at or adjacent to the Site and all drawings of physical conditions relating to existing surface or subsurface structures at the Site that have been identified in the Supplementary Conditions, especially with respect to Technical Data in such reports and drawings, and (2) reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the Supplementary Conditions, especially with respect to Technical Data in such reports and drawings.

E. Bidder has considered the information known to Bidder itself; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and any Site-related reports and drawings identified in the Bidding Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance

- of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder; and (3) Bidder's safety precautions and programs.
- F. Bidder agrees, based on the information and observations referred to in the preceding paragraph, that no further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price bid and within the times required, and in accordance with the other terms and conditions of the Bidding Documents.
 - G. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
 - H. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and confirms that the written resolution thereof by Engineer is acceptable to Bidder.
 - I. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance and furnishing of the Work.
 - J. The submission of this Bid constitutes an incontrovertible representation by Bidder that Bidder has complied with every requirement of this Article, and that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.

ARTICLE 4 – BIDDER'S CERTIFICATION

4.01 Bidder certifies that:

- A. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation;
- B. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid;
- C. Bidder has not solicited or induced any individual or entity to refrain from bidding; and
- D. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 4.01.D:
 - 1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process;
 - 2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;
 - 3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels; and
 - 4. "coercive practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

ARTICLE 5 – BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following price(s): **(BASE BID)**

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT PRICE	TOTAL PRICE
201	CLEARING AND GRUBBING	LUMP	1		
202	REMOVED	LUMP	1		
202	WALK REMOVED	S.F.	1658		
202	CURB AND GUTTER REMOVED	FT.	746		
202	PIPE REMOVED	FT.	65		
202	CATCH BASIN REMOVED	EACH	6		
202	MANHOLE ABANDONED	EACH	4		
202	VALVE BOX REMOVED	EACH	5		
203	EXCAVATION INCLUDING EMBANKMENT CONSTRUCTION	C.Y.	881		
204	SUBGRADE COMPACTION	S.Y.	3559		
204	EXCAVATION OF SUBGRADE, AS PER PLAN	C.Y.	450		
204	GEOGRID, AS PER PLAN	S.Y.	1400		
254	PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	1862		
301	3" ASPHALT CONCRETE BASE, PG. 64-22	C.Y.	150		
304	AGGREGATE BASE	C.Y.	659		
407	NON-TRACKING TACK COAT FOR @ 0.09 GAL./S.Y.	GAL.	658		
411	4" STABILIZED CRUSHED AGGREGATE	C.Y.	40		

441	1-3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449)	C.Y.	99		
441	1-1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449)	C.Y.	135		
441	2-1/2" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449) (ASPHALT PATH)	C.Y.	82		
441	1-1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449) (ASPHALT PATH)	C.Y.	49		
452	9" NON- REINFORCED CONCRETE PAVEMENT	S.Y.	94		
452	6" NON- REINFORCED CONCRETE PAVEMENT	S.Y.	39		
605	4" SHALLOW PIPE UNDERDRAINS, PERFORATED	FT.	690		
608	4" CONCRETE WALK	S.F.	2572		
608	CURB RAMP	S.F.	580		
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	690		
609	TYPE 6 BARRIER CURB	FT.	1050		
609	CURB AND GUTTER, REPLACED IN- KIND	FT.	112		
611	4" CONDUIT, TYPE E	FT.	80		
611	4" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		
611	6" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		

611	8" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		
611	12" RCP STORM SEWER	FT.	171		
611	15" RCP STORM SEWER	FT.	49		
611	CATCH BASIN RECONSTRUCTED TO GRADE	EACH	1		
611	CATCH BASIN TYPE 1	EACH	6		
611	CATCH BASIN TYPE 1A	EACH	1		
611	CATCH BASIN 2-2B	EACH	1		
611	TYPE 3 STORM MANHOLE	EACH	1		
611	SANITARY MANHOLE RECONSTRUCTED TO GRADE	EACH	2		
613	LOW STRENGTH MORTAR BACKFILL	C.Y.	102		
614	MAINTAINING TRAFFIC	LUMP	1		
614	DETOUR SIGNING	LUMP	1		
623	MONUMENT ASSEMBLY	EACH	1		
624	MOBILIZATION	LUMP	1		
625	BRACKET ARM, 15', AS PER PLAN	EACH	3		
625	CONDUIT, 2", 725.051, AS PER PLAN	FT.	24		
625	CONDUIT, 3", 725.051, AS PER PLAN	FT.	20		
625	CONDUIT, 4", 725.051, AS PER PLAN	FT.	12		
625	CONDUIT, JACKED OR DRILLED, 725.052, AS PER PLAN, 3"	FT.	149		
625	CONDUIT, JACKED OR DRILLED, 725.052, AS PER PLAN, 4"	FT.	118		

625	LUMINAIRE, CONVENTIONAL, SOLID STATE (LED), AS PER PLAN	EACH	3		
625	PULL BOX, 725.08, 18"	EACH	3		
625	PULL BOX, 725.08, 24"	EACH	1		
625	GROUND ROD	EACH	5		
630	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL	EACH	3		
630	REMOVAL OF GROUND MOUNTED SIGN AND RELOCATION	EACH	1		
630	REMOVAL OF GROUND MOUNTED POST AND DISPOSAL	EACH	5		
630	GROUND MOUNTED SUPPORT, NO. 3 POST	FT.	78.5		
630	SIGN HANGER ASSEMBLY, MAST ARM, AS PER PLAN	EACH	9		
630	SIGN SUPPORT ASSEMBLY, POLE MOUNTED, AS PER PLAN	EACH	8		
630	SIGN, FLAT SHEET	S.F.	78.25		
630	SIGN, STREET NAME, AS PER PLAN	EACH	5		
632	VEHICULAR SIGNAL HEAD, (LED), 3-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, AS PER PLAN, BLACK	EACH	5		
632	VEHICULAR SIGNAL HEAD, (LED), 5-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, AS PER PLAN, BLACK	EACH	5		

632	PEDESTRIAN SIGNAL HEAD, (LED), TYPE D2, COUNTDOWN, AS PER PLAN	EACH	4		
632	COVERING OF VEHICULAR SIGNAL HEAD	EACH	10		
632	COVERING OF PEDESTRIAN SIGNAL HEAD	EACH	4		
632	PEDESTRIAN PUSHBUTTON, AS PER PLAN	EACH	4		
632	SIGNAL CABLE, 3-CONDUCTOR, NO. 14 AWG.	FT.	520		
632	SIGNAL CABLE, 5-CONDUCTOR, NO. 14 AWG.	FT.	535		
632	SIGNAL CABLE, 7-CONDUCTOR, NO. 14 AWG.	FT.	1055		
632	SIGNAL CABLE, 3-CONDUCTOR, NO. 12 AWG.	FT.	580		
632	SIGNAL SUPPORT FOUNDATION, AS PER PLAN	EACH	3		
632	PEDESTAL FOUNDATION	EACH	1		
632	SERVICE CABLE, 3-CONDUCTOR, NO. 6 AWG.	FT.	70		
632	POWER SERVICE, AS PER PLAN	EACH	1		
632	COMBINATION SIGNAL SUPPORT, TYPE TC-12.31 DESIGN 12 POLE, WITH MAST ARMS TC-81.22 DESIGN 14 AND DESIGN 13, AS PER PLAN	EACH	1		
632	COMBINATION SIGNAL SUPPORT, TYPE TC-81.22, DESIGN 4, AS PER PLAN	EACH	1		

632	COMBINATION SIGNAL SUPPORT, TYPE TC-81.22, DESIGN 12, AS PER PLAN	EACH	1		
632	PEDESTAL, 8', TRANSFORMER BASE, AS PER PLAN	EACH	1		
632	REMOVAL OF TRAFFIC SIGNAL INSTALLATION, AS PER PLAN	LUMP	1		
633	CABINET, TYPE TS-2, AS PER PLAN	EACH	1		
633	CABINET FOUNDATION	EACH	1		
633	CONTROLLER WORK PAD, AS PER PLAN	EACH	1		
633	UNINTERRUPTIBLE POWER SUPPLY (UPS), 1000 WATT, AS PER PLAN	EACH	1		
638	4" PVC C-900 DR-18 WATER MAIN	FT.	32		
638	6" PVC C-900 DR-18 WATER MAIN	FT.	96		
638	8" PVC C-900 DR-18 WATER MAIN	FT.	388		
638	16" PVC C-900 DR-18 WATER MAIN	FT.	509		
638	16" WATER MAIN, DIRECTIONAL DRILLED	FT.	385		
638	4" GATE VALVE AND VALVE BOX	EACH	2		
638	6" GATE VALVE AND VALVE BOX	EACH	1		
638	8" GATE VALVE AND VALVE BOX	EACH	5		
638	16" GATE VALVE AND VALVE BOX	EACH	6		
638	1" WATER SERVICE BRANCH, AS PER PLAN	FT.	157		
638	6" FIRE HYDRANT ASSEMBLY, AS PER PLAN	EACH	3		

638	FIRE HYDRANT ASSEMBLY REMOVED	EACH	1		
638	SAMPLING STATION	EACH	2		
644	EDGE LINE	MILE	0.12		
644	CENTER LINE	MILE	0.12		
644	CHANNELIZING LINE, 8"	FT.	360		
644	BROKEN WHITE LANE LINE, 6"	FT.	153		
644	DOTTED LANE LINE, 4" (WHITE)	FT.	115		
644	STOP LINE	FT.	138		
644	TRANSVERSE LINE	FT.	42		
644	CROSSWALK LINE	FT.	252		
644	LANE ARROW	EACH	7		
659	SEEDING AND MULCHING, CLASS 1, AS PER PLAN	S.Y.	3000		
809	STOP-LINE RADAR DETECTION, AS PER PLAN	EACH	4		
809	ATC CONTROLLER, AS PER PLAN	EACH	1		
832	EROSION CONTROL	EACH	10000		
SPEC	REMOVE PIPE AND PLUG EXISTING TEE, AS PER PLAN	EACH	1		
SPEC	CUT AND PLUG, TYPE 2, AS PER PLAN	EACH	6		
SPEC	MASTER METER AND BACKFLOW ENCLOSURE	LUMP	1		
SPEC	BRIDGE REHABILITATION, AS PER PLAN	EACH	13		
SPEC	CIPP LINING OF EXISTING 12" SEWER LINE	FT.	401		
SPEC	CIPP LINING OF EXISTING 15" SEWER LINE	FT.	87		
SPEC	CIPP LINING OF EXISTING 24" SEWER LINE	FT.	1078		

SPEC	SANITARY MANHOLE PROTECTIVE LINING SYSTEM	EACH	8		
------	--	------	---	--	--

Bidder agrees that work will be substantially completed on or before **November 4, 2022** (An exception will be made for the traffic signal if needed to accommodate delivery time) for **Base Bid**.

Total of Lump Sum and Unit Price Bids = Total Base Bid Price \$ _____

Bidder will complete the Work in accordance with the Contract Documents for the following price(s):
(ALTERNATE BID)

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT PRICE	TOTAL PRICE
201	CLEARING AND GRUBBING	LUMP	1		
202	REMOVED	LUMP	1		
202	WALK REMOVED	S.F.	1658		
202	CURB AND GUTTER REMOVED	FT.	746		
202	PIPE REMOVED	FT.	65		
202	CATCH BASIN REMOVED	EACH	6		
202	MANHOLE ABANDONED	EACH	4		
202	VALVE BOX REMOVED	EACH	5		
203	EXCAVATION INCLUDING EMBANKMENT CONSTRUCTION	C.Y.	881		
204	SUBGRADE COMPACTION	S.Y.	3559		
204	EXCAVATION OF SUBGRADE, AS PER PLAN	C.Y.	450		
204	GEOGRID, AS PER PLAN	S.Y.	1400		
254	PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	1862		

301	3" ASPHALT CONCRETE BASE, PG. 64-22	C.Y.	150		
304	AGGREGATE BASE	C.Y.	659		
407	NON-TRACKING TACK COAT FOR @ 0.09 GAL./S.Y.	GAL.	658		
411	4" STABILIZED CRUSHED AGGREGATE	C.Y.	40		
441	1-3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449)	C.Y.	99		
441	1-1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449)	C.Y.	135		
441	2-1/2" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449) (ASPHALT PATH)	C.Y.	82		
441	1-1/2" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449) (ASPHALT PATH)	C.Y.	49		
452	9" NON- REINFORCED CONCRETE PAVEMENT	S.Y.	94		
452	6" NON- REINFORCED CONCRETE PAVEMENT	S.Y.	39		
605	4" SHALLOW PIPE UNDERDRAINS, PERFORATED	FT.	690		
608	4" CONCRETE WALK	S.F.	2572		
608	CURB RAMP	S.F.	580		
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	690		
609	TYPE 6 BARRIER CURB	FT.	1050		
609	CURB AND GUTTER,	FT.	112		

	REPLACED IN-KIND				
611	4" CONDUIT, TYPE E	FT.	80		
611	4" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		
611	6" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		
611	8" CONDUIT, TYPE B, 707.45, STORM REPAIR	FT.	50		
611	12" RCP STORM SEWER	FT.	171		
611	15" RCP STORM SEWER	FT.	49		
611	CATCH BASIN RECONSTRUCTED TO GRADE	EACH	1		
611	CATCH BASIN TYPE 1	EACH	6		
611	CATCH BASIN TYPE 1A	EACH	1		
611	CATCH BASIN 2-2B	EACH	1		
611	TYPE 3 STORM MANHOLE	EACH	1		
611	SANITARY MANHOLE RECONSTRUCTED TO GRADE	EACH	2		
613	LOW STRENGTH MORTAR BACKFILL	C.Y.	102		
614	MAINTAINING TRAFFIC	LUMP	1		
614	DETOUR SIGNING	LUMP	1		
623	MONUMENT ASSEMBLY	EACH	1		
624	MOBILIZATION	LUMP	1		
625	BRACKET ARM, 15', AS PER PLAN	EACH	3		
625	CONDUIT, 2", 725.051, AS PER PLAN	FT.	24		
625	CONDUIT, 3", 725.051, AS PER PLAN	FT.	20		
625	CONDUIT, 4", 725.051, AS PER PLAN	FT.	12		

625	CONDUIT, JACKED OR DRILLED, 725.052, AS PER PLAN, 3"	FT.	149		
625	CONDUIT, JACKED OR DRILLED, 725.052, AS PER PLAN, 4"	FT.	118		
625	LUMINAIRE, CONVENTIONAL, SOLID STATE (LED), AS PER PLAN	EACH	3		
625	PULL BOX, 725.08, 18"	EACH	3		
625	PULL BOX, 725.08, 24"	EACH	1		
625	GROUND ROD	EACH	5		
630	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL	EACH	3		
630	REMOVAL OF GROUND MOUNTED SIGN AND RELOCATION	EACH	1		
630	REMOVAL OF GROUND MOUNTED POST AND DISPOSAL	EACH	5		
630	GROUND MOUNTED SUPPORT, NO. 3 POST	FT.	78.5		
630	SIGN HANGER ASSEMBLY, MAST ARM, AS PER PLAN	EACH	9		
630	SIGN SUPPORT ASSEMBLY, POLE MOUNTED, AS PER PLAN	EACH	8		
630	SIGN, FLAT SHEET	S.F.	78.25		
630	SIGN, STREET NAME, AS PER PLAN	EACH	5		
632	VEHICULAR SIGNAL HEAD, (LED), 3-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, AS PER PLAN, BLACK	EACH	5		

632	VEHICULAR SIGNAL HEAD, (LED), 5-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, AS PER PLAN, BLACK	EACH	5		
632	PEDESTRIAN SIGNAL HEAD, (LED), TYPE D2, COUNTDOWN, AS PER PLAN	EACH	4		
632	COVERING OF VEHICULAR SIGNAL HEAD	EACH	10		
632	COVERING OF PEDESTRIAN SIGNAL HEAD	EACH	4		
632	PEDESTRIAN PUSHBUTTON, AS PER PLAN	EACH	4		
632	SIGNAL CABLE, 3-CONDUCTOR, NO. 14 AWG.	FT.	520		
632	SIGNAL CABLE, 5-CONDUCTOR, NO. 14 AWG.	FT.	535		
632	SIGNAL CABLE, 7-CONDUCTOR, NO. 14 AWG.	FT.	1055		
632	SIGNAL CABLE, 3-CONDUCTOR, NO. 12 AWG.	FT.	580		
632	SIGNAL SUPPORT FOUNDATION, AS PER PLAN	EACH	3		
632	PEDESTAL FOUNDATION	EACH	1		
632	SERVICE CABLE, 3-CONDUCTOR, NO. 6 AWG.	FT.	70		
632	POWER SERVICE, AS PER PLAN	EACH	1		
632	COMBINATION SIGNAL SUPPORT, TYPE TC-12.31 DESIGN 12 POLE, WITH MAST ARMS TC-81.22 DESIGN 14 AND DESIGN 13, AS PER PLAN	EACH	1		

632	COMBINATION SIGNAL SUPPORT, TYPE TC-81.22, DESIGN 4, AS PER PLAN	EACH	1		
632	COMBINATION SIGNAL SUPPORT, TYPE TC-81.22, DESIGN 12, AS PER PLAN	EACH	1		
632	PEDESTAL, 8', TRANSFORMER BASE, AS PER PLAN	EACH	1		
632	REMOVAL OF TRAFFIC SIGNAL INSTALLATION, AS PER PLAN	LUMP	1		
633	CABINET, TYPE TS-2, AS PER PLAN	EACH	1		
633	CABINET FOUNDATION	EACH	1		
633	CONTROLLER WORK PAD, AS PER PLAN	EACH	1		
633	UNINTERRUPTIBLE POWER SUPPLY (UPS), 1000 WATT, AS PER PLAN	EACH	1		
638	4" PVC C-900 DR-18 WATER MAIN	FT.	32		
638	6" PVC C-900 DR-18 WATER MAIN	FT.	96		
638	8" PVC C-900 DR-18 WATER MAIN	FT.	388		
638	16" PVC C-900 DR-18 WATER MAIN	FT.	509		
638	16" WATER MAIN, DIRECTIONAL DRILLED	FT.	385		
638	4" GATE VALVE AND VALVE BOX	EACH	2		
638	6" GATE VALVE AND VALVE BOX	EACH	1		
638	8" GATE VALVE AND VALVE BOX	EACH	5		
638	16" GATE VALVE AND VALVE BOX	EACH	6		
638	1" WATER SERVICE BRANCH, AS PER PLAN	FT.	157		

638	6" FIRE HYDRANT ASSEMBLY, AS PER PLAN	EACH	3		
638	FIRE HYDRANT ASSEMBLY REMOVED	EACH	1		
638	SAMPLING STATION	EACH	2		
644	EDGE LINE	MILE	0.12		
644	CENTER LINE	MILE	0.12		
644	CHANNELIZING LINE, 8"	FT.	360		
644	BROKEN WHITE LANE LINE, 6"	FT.	153		
644	DOTTED LANE LINE, 4" (WHITE)	FT.	115		
644	STOP LINE	FT.	138		
644	TRANSVERSE LINE	FT.	42		
644	CROSSWALK LINE	FT.	252		
644	LANE ARROW	EACH	7		
659	SEEDING AND MULCHING, CLASS 1, AS PER PLAN	S.Y.	3000		
809	STOP-LINE RADAR DETECTION, AS PER PLAN	EACH	4		
809	ATC CONTROLLER, AS PER PLAN	EACH	1		
832	EROSION CONTROL	EACH	10000		
SPEC	REMOVE PIPE AND PLUG EXISTING TEE, AS PER PLAN	EACH	1		
SPEC	CUT AND PLUG, TYPE 2, AS PER PLAN	EACH	6		
SPEC	MASTER METER AND BACKFLOW ENCLOSURE	LUMP	1		
SPEC	BRIDGE REHABILITATION, AS PER PLAN	EACH	13		
SPEC	CIPP LINING OF EXISTING 12" SEWER LINE	FT.	401		
SPEC	CIPP LINING OF EXISTING 15" SEWER LINE	FT.	87		

SPEC	CIPP LINING OF EXISTING 24" SEWER LINE	FT.	1078		
SPEC	SANITARY MANHOLE PROTECTIVE LINING SYSTEM	EACH	8		

Bidder agrees that work will be substantially completed on or before **May 5, 2023** for **Alternate Bid**. If the Alternate is awarded, the project cannot start until **February 6, 2023**. The final completion date is May 19, 2023.

Total of Lump Sum and Unit Price Bids = Total Alternate Bid Price \$ _____

ARTICLE 6 – TIME OF COMPLETION

- 6.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.
- 6.02 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 7 – ATTACHMENTS TO THIS BID

- 7.01 The following documents are submitted with and made a condition of this Bid:
 - A. Required Bid security;
 - B. List of Proposed Subcontractors;
 - C. List of Proposed Suppliers;
 - D. List of Project References;
 - E. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such license within the time for acceptance of Bids;
 - F. Federal identification number;
 - G. Required Bidder Qualification Statement with supporting data;
 - H. Contractor Non-Collusion Affidavit; and
 - I. Delinquent Property Tax Affidavit.

ARTICLE 8 – DEFINED TERMS

- 8.01 The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 9 – BID SUBMITTAL

BIDDER: *[Indicate correct name of bidding entity]*

By:

[Signature] _____

[Printed name] _____

(If Bidder is a corporation, a limited liability company, a partnership, or a joint venture, attach evidence of authority to sign.) _____

Submittal Date: _____

Address for giving notices:

Telephone Number: _____

Fax Number: _____

Contact Name and e-mail address: _____

Federal ID Number: _____

(where applicable)